TEST REPORT

CheckCode:774776
Report No.:C202603162474-1E

Company Name: Wuyi Luoke Leisure Product Co.,Ltd
Address: GuMaShan Industrial Area, Wuyi County, Jinhua City, Zhejiang Province, China

The following sample information is provided by the client and responsible for its authenticity

Sample Name: PLAY TENT
Model No.: RE9127R,RE9126Y
Manufacturer Name: Wuyi Luoke Leisure Product Co.,Ltd
Manufacturer Address: GuMaShan Industrial Area, Wuyi County, Jinhua City, Zhejiang Province, China

Age grading labeled: 3+ Appropriate Age Grading for Testing: 3+

Date of Receipt: Mar.17,2026 Apr.15,2026 Test Period: Mar.17,2026 – Apr.16,2026

Test Request: Select test(s) as requested by the client.

Test Result: Please refer to following page(s).

Conclusion: Please refer to following page(s).

Edited by Jiang Hang Fen Reviewed by Wu Qing Yu Approved by

扫一扫 验真伪

GRG METROLOGY&TEST GROUP CO.,LTD. APPROVED(02)

Issue date:Apr.16,2026

The result(s) shown in this report refer(s) only to the sample(s) tested. This report is considered invalid without approved signature, special seal for inspection and testing and the seal on the perforation.This report cannot be reproduced except in full, without prior written approval of the company.Any disagreements of the test report should be fed back to us within 15 workdays upon receiving the report. Scan the QR code on the first page of the test report, or log on to the official website http://www.grgtmall.com, enter the report number and check code to check the authenticity of the report. If you have any questions, please contact the email grgtest@grgtest.com. GRGT assumes no responsibility for information leakage caused by improper management of the QR code and the check code by customers.

GRG METROLOGY & TEST GROUP CO., LTD.
Add: No.8,Chuangyun Road,Panyu District,Guangzhou,Guangdong,China
Tel: 4006020999 Fax: +86-020-38698685 Website: http://www.grgtest.com

TEST REPORT

CheckCode:774776
Report No.:C202603162474-1E

Conclusion:

Test Item(s)	Conclusion
ASTM F963-23-Physical and Mechanical Properties	PASS
ASTM F963-23-Flammability	PASS
ASTM F963-23,Clause 4.3.5.2-Total Lead in substrate materials	PASS
ASTM F963-23,Clause 4.3.5.2- Soluble Migrated Metal in substrate materials	PASS
ASTM F963-23,Clause 4.3.8-Phthalates	PASS
CPSIA Section 101(a)-Total Lead in substrate materials	PASS
CPSIA Section 103-Tracking labels for children's products	PASS
CPSC 16 CFR 1307, amending CPSIA section 108 -Phthalates	PASS

Sample description:

Sample No.	Description
1	Yellow fabric (bag)
2	Black woven strap (handbag)
3	Black fabric (zipper fabric)
4	Black plastic (zipper teeth)
5	Silvery metal (zipper head)
6	Yellow ribbon (zipper puller)
7	White label with black printing
8	Multicolor fabric (red)
9	Red fabric (banding)
10	Yellow fabric
11	Yellow fabric (banding)
12	Yellow lace
13	Red & gray fabric with white printing
14	Multicolor fabric
15	Black fabric (banding)
16	Black lace

Remark: 1)SOL.= Soluble;
2) 1 mg/kg=1 ppm=0.0001%;

3) MDL = Method Detection Limit;
4) “N.D.” = Not Detected (Below Method Detection Limit) ;
5) “NA” = Not Applicable;
6) At the request of client, test(s) was conducted on the certain component(s) of the submitted samples(s) / submitted component(s).
7) Composite test has been performed in equal proportion for the components/material per client requested. And the result is calculated using the minimum sample weight.

Test Result(s):

ASTM F963-23-Physical and Mechanical Properties

Test Method: ASTM F963-23
Applicable requirements before and after use and abuse testing:

Clause	Description	Result
4	Safety requirements	
4.1	Material Quality (visual check)	Pass
4.2	Flammability	Pass
4.3	Toxicology	
4.3.5	Heavy Elements	
4.3.5.1	Heavy Elements in paint and similar surface-coating materials	NA
4.3.5.2	Heavy Elements in substrate materials	Pass
4.3.6	Cosmetics, Liquids, Pastes, Putties, Gels, Powders, and Items of Avian Feather Origin	
4.3.6.3	Cleanliness	NA
4.3.7	Stuffing Materials	NA
4.3.8	Phthalates	Pass
4.4	Electrical/Thermal Energy	NA
4.5	Sound-producing Toys	NA
4.6	Small objects	NA
4.6.1	Small objects(for children under 36 months of age)	NA
4.6.2	Mouth-actuated Toys	NA
4.6.3	For toys and games intended for children at least 3 years old but less than 6 years of age, and includes a small part is subject to the labeling requirements in accordance with 5.11.2.	NA
4.7	Accessible Edges	Pass
4.8	Projections	NA

Clause	Description	Result
4.9	Accessible Points	Pass
4.10	Wires or Rods	Pass
4.11	Nails and Fasteners	NA
4.12	Plastic Film	NA
4.13	Folding Mechanisms and Hinges	NA
4.14	Cords,Straps,and Elastics	NA
4.15	Stability and Over-load Requirements	NA
4.16	Confined Spaces	Pass
4.17	Wheels, Tires, and Axles	NA
4.18	Holes, Clearance, and Accessibility of Mechanisms	NA
4.19	Simulated Protective Devices	NA
4.20	Pacifiers	NA
4.20.1	Pacifiers with rubber nipples	NA
4.20.2	Toy Pacifiers	NA
4.21	Projectile Toys	NA
4.22	Teethers and Teething Toys	NA
4.23	Rattles	NA
4.23.1	Rigid rattles incorporating nearly spherical, hemispherical, or circular flared ends	NA
4.23.2	Rattles-Exclusion	NA
4.24	Squeeze Toys	NA
4.25	Battery-operated Toys	NA
4.26	Toys Intended to be Attached to a Crib or Playpen	NA
4.27	Stuffed and Beanbag-type Toys	NA
4.28	Stroller and Carriage Toys	NA
4.29	Art Materials	NA
4.30	Toy Gun Marking	NA
4.31	Balloons	NA
4.32	Certain Toys with Nearly Spherical Ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-shaped Objects	NA
4.37	Yo Yo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA

Clause	Description	Result
4.40	Expanding Materials	NA
4.41	Toy Chests	NA
5	Labeling Requirements	
5.1.2	Tracking label	Pass
5.2	Age Grading Labeling	Pass
5.3	Safety Labeling Requirements	NA
5.4	Aquatic Toys	NA
5.5	Crib and Playpen Toys	NA
5.6	Mobiles	NA
5.7	Stroller and Carriage Toys	NA
5.8	Toys Intended to be Assembled By an Adult	NA
5.9	Simulated Protective Devices	NA
5.10	Toys with Functional Sharp Edges or Points	NA
5.11	Small Objects, Small Balls, Marbles, and Balloons	NA
5.12	Art Materials	NA
5.13	Electric Toys	NA
5.14	Battery-Operated Toys(exclude 5.14.1 and 5.14.2)	NA
5.14.1	Battery-Powered Ride-On Toys	NA
5.14.2	Button or Coin Cell Batteries	NA
5.15	Promotional Materials	Pass
5.16	Magnets	NA
6	Instructional Literature	
6.1	Definition and Description	Pass
6.2	Crib and Playpen Toys	NA
6.3	Mobiles	NA
6.4	Toys Intended to be Assembled By an Adult	NA
6.5	Battery-Operated Toys	NA
6.6	Battery-powered Ride-on Toys	NA
6.7	Toys in Contact with Food	NA
6.8	Toy Chests	NA
6.9	The instructional material for toys which require a manufacturer-supplied specialty or custom tool to access the battery(ies)	NA
7	Producer's Markings	
7.1	Name and address of the producer or the distributor	Pass
7.2	Battery-powered Ride-on Toys	NA

Clause	Description	Result
7.3	Toy Chests	NA

ASTM F963-23-Flammability

Test Method: ASTM F963-23 Clause 4.2(16 CFR 1610.4)

Test Item	Burn rate(inch/sec.)	Result
Flammability for fabrics	14.57	Pass

Table 1 to 16 CFR 1610.4-Summary of Test Criteria for Specimen Classification

Class	Plain surface textile fabric	Raised surface textile fabric
1	Burn time is 3.5 seconds or more. ACCEPTABLE (3.5 seconds is a pass)	(1)Burn time is greater than 7.0 seconds; or (2) Burn time is less than or equal to 7.0 seconds with no SFBB test result code. Exhibits rapid surface flash only. ACCEPTABLE-Normal Flammability.
2	Class 2 is not applicable to plain surface textile fabrics	Burn time is 4.0 to 7.0 seconds (inclusive) with base burn (SFBB). ACCEPTABLE-Intermediate Flammability.
3	Burn time is less than 3.5 seconds. NOT ACCEPTABLE	Burn time is less than 4.0 seconds with base burn (SFBB). NOT ACCEPTABLE-Rapid and Intense Burning.

Note:DNI =Did Not Ignited, SE= Self-Extinguished, IBE = Ignited but extinguished

ASTM F963-23,Clause 4.3.5.2-Total Lead in substrate materials

Test Method: With reference to CPSC-CH-E1001-08.3, CPSC-CH-E1002-08.3, analysis was performed by ICP-OES.

Test Item	**Sample**				**Unit**	**MDL**	**Limit**
	1	2	3	4			
Lead (Pb)	N.D.	N.D.	N.D.	N.D.	mg/kg	2	100
Conclusion	Pass	Pass	Pass	Pass	---	---	---

Test Item	Sample				Unit	MDL	Limit
	5	6	7	8			
Lead (Pb)	19	N.D.	N.D.	N.D.	mg/kg	2	100
Conclusion	Pass	Pass	Pass	Pass	---	---	---

Test Item	Sample				Unit	MDL	Limit
	9	10	11	12			
Lead (Pb)	N.D.	N.D.	N.D.	N.D.	mg/kg	2	100
Conclusion	Pass	Pass	Pass	Pass	---	---	---

Test Item	Sample				Unit	MDL	Limit
	13	14	15	16			
Lead (Pb)	N.D.	N.D.	N.D.	N.D.	mg/kg	2	100
Conclusion	Pass	Pass	Pass	Pass	---	---	---

ASTM F963-23,Clause 4.3.5.2- Soluble Migrated Metal in substrate materials

Test Method: With reference to ASTM F963-23, analysis was performed by ICP-OES.

Test Item	Sample				Unit	MDL	Limit
	1	2	3	4			
SOL. Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	mg/kg	5	60
SOL. Arsenic (As)	N.D.	N.D.	N.D.	N.D.	mg/kg	2.5	25
SOL. Barium (Ba)	N.D.	N.D.	N.D.	N.D.	mg/kg	5	1000
SOL. Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	mg/kg	5	75
SOL. Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	mg/kg	5	60
SOL. Lead (Pb)	N.D.	N.D.	N.D.	N.D.	mg/kg	5	90

TEST REPORT

CheckCode:774776
Report No.:C202603162474-1E

Test Item	Sample				Unit	MDL	Limit
	1	2	3	4			
SOL. Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	mg/kg	5	60
SOL. Selenium (Se)	N.D.	N.D.	N.D.	N.D.	mg/kg	5	500
Conclusion	Pass	Pass	Pass	Pass	---	---	---

Test Item	Sample				Unit	MDL	Limit
	6	7	8	9			
SOL. Antimony (Sb)	N.D.	N.D.	6	N.D.	mg/kg	5	60
SOL. Arsenic (As)	N.D.	N.D.	N.D.	N.D.	mg/kg	2.5	25
SOL. Barium (Ba)	N.D.	N.D.	N.D.	N.D.	mg/kg	5	1000
SOL. Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	mg/kg	5	75
SOL. Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	mg/kg	5	60
SOL. Lead (Pb)	N.D.	N.D.	N.D.	N.D.	mg/kg	5	90
SOL. Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	mg/kg	5	60
SOL. Selenium (Se)	N.D.	N.D.	N.D.	N.D.	mg/kg	5	500
Conclusion	Pass	Pass	Pass	Pass	---	---	---

Test Item	Sample				Unit	MDL	Limit
	10	11	12	13			
SOL. Antimony (Sb)	N.D.	N.D.	N.D.	9	mg/kg	5	60
SOL. Arsenic (As)	N.D.	N.D.	N.D.	N.D.	mg/kg	2.5	25
SOL. Barium (Ba)	N.D.	N.D.	N.D.	N.D.	mg/kg	5	1000
SOL. Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	mg/kg	5	75
SOL. Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	mg/kg	5	60
SOL. Lead (Pb)	N.D.	N.D.	N.D.	N.D.	mg/kg	5	90

Test Item	Sample				Unit	MDL	Limit
	10	11	12	13			
SOL. Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	mg/kg	5	60
SOL. Selenium (Se)	N.D.	N.D.	N.D.	N.D.	mg/kg	5	500
Conclusion	Pass	Pass	Pass	Pass	---	---	---

Test Item	Sample			Unit	MDL	Limit
	14	15	16			
SOL. Antimony (Sb)	8	N.D.	N.D.	mg/kg	5	60
SOL. Arsenic (As)	N.D.	N.D.	N.D.	mg/kg	2.5	25
SOL. Barium (Ba)	N.D.	N.D.	N.D.	mg/kg	5	1000
SOL. Cadmium (Cd)	N.D.	N.D.	N.D.	mg/kg	5	75
SOL. Chromium (Cr)	N.D.	N.D.	N.D.	mg/kg	5	60
SOL. Lead (Pb)	N.D.	N.D.	N.D.	mg/kg	5	90
SOL. Mercury (Hg)	N.D.	N.D.	N.D.	mg/kg	5	60
SOL. Selenium (Se)	N.D.	N.D.	N.D.	mg/kg	5	500
Conclusion	Pass	Pass	Pass	---	---	---

Remark: Results shown are of the adjusted analytical results

ASTM F963-23,Clause 4.3.8-Phthalates

Test Method: With reference to CPSC-CH-C1001-09.4, analysis was performed by GC-MS.

Test Item	CAS No.	Sample	Unit	MDL	Limit
		4+7			
Benzyl butyl phthalate (BBP)	85-68-7	N.D.	%	0.005	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	N.D.	%	0.005	0.1
Dibutylphthalate (DBP)	84-74-2	N.D.	%	0.005	0.1

Test Item	CAS No.	Sample	Unit	MDL	Limit
		4+7			
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	N.D.	%	0.005	0.1
Diisobutyl phthalate (DIBP)	84-69-5	N.D.	%	0.005	0.1
Di-n-pentyl phthalate (DPENP)	131-18-0	N.D.	%	0.005	0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	%	0.005	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	%	0.005	0.1
Conclusion		Pass	---	---	---

CPSIA Section 101(a)-Total Lead in substrate materials

Test Method: With reference to CPSC-CH-E1001-08.3, CPSC-CH-E1002-08.3, analysis was performed by ICP-OES.

Test Item	Sample				Unit	MDL	Limit
	1	2	3	4			
Lead (Pb)	N.D.	N.D.	N.D.	N.D.	mg/kg	2	100
Conclusion	Pass	Pass	Pass	Pass	---	---	---

Test Item	Sample				Unit	MDL	Limit
	5	6	7	8			
Lead (Pb)	19	N.D.	N.D.	N.D.	mg/kg	2	100
Conclusion	Pass	Pass	Pass	Pass	---	---	---

Test Item	Sample				Unit	MDL	Limit
	9	10	11	12			
Lead (Pb)	N.D.	N.D.	N.D.	N.D.	mg/kg	2	100
Conclusion	Pass	Pass	Pass	Pass	---	---	---

TEST REPORT

CheckCode:774776
Report No.:C202603162474-1E

Test Item	Sample				Unit	MDL	Limit
	13	14	15	16			
Lead (Pb)	N.D.	N.D.	N.D.	N.D.	mg/kg	2	100
Conclusion	Pass	Pass	Pass	Pass	---	---	---

CPSIA Section 103-Tracking labels for children's products

Test Method: ASTM F963-23 5.1.2;Section 14(a)(5) of the Consumer Product Safety Act (CPSA, 15 U.S.C. § 2063(a)(5))(Section 103 of the Consumer Product Safety Improvement Act of 2008 (CPSIA, Public Law 110-314))

Clause	Description	Result
a	Is the product intended for children under 12 years? If no, the section is not applicable.	Pass
b	Is the product under the exemption of marking on children's product?	Pass
1	Product is too small to be marked.	Pass
2	Products stay with or be contained in their original packaging.	NA
3	Product is sold through a bulk vending machine.	NA
4	Physical mark would weaken or damage the product or impair its utility.	NA
5	Product surface would be impossible to mark permanently.	NA
6	Aesthetics of the product would be ruined by a mark.	Pass
c	Is the product and packaging or only packaging (for product exempted from the marking) marked below information?	Pass
1	Name of the manufacturer or the name of the private labeler.	Pass
2	Manufacturer or private labeler location, including the name of the country, and the name or other means of coding of city and state.	Pass
3	Date of production of the product, in a form of MM/YY or any other coding system.	Pass
4	Cohort information (including the batch, run number, or other identifying characteristic).	Pass
d	Is the label permanent after permanency testing?	Pass


CPSC 16 CFR 1307, amending CPSIA section 108 –Phthalates

Test Method: With reference to CPSC-CH-C1001-09.4, analysis was performed by GC-MS.

Test Item	CAS No.	Sample	Unit	MDL	Limit
		4+7			
Benzyl butyl phthalate (BBP)	85-68-7	N.D.	%	0.005	0.1
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	N.D.	%	0.005	0.1
Dibutylphthalate (DBP)	84-74-2	N.D.	%	0.005	0.1
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	N.D.	%	0.005	0.1
Diisobutyl phthalate (DIBP)	84-69-5	N.D.	%	0.005	0.1
Di-n-pentyl phthalate (DPENP)	131-18-0	N.D.	%	0.005	0.1
Di-n-hexyl phthalate (DHEXP)	84-75-3	N.D.	%	0.005	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	%	0.005	0.1
Conclusion		Pass	---	---	---

Photo of Sample









FIRE	
FIRE RESCUE	WARNING KEEP AWAY FROM FIRE 0-3 Manufacturer : Wuyi Luoke Leisure Product Co., LTD. Manufacturer Addr : No.1, GuMaShan Industrial Area, Wuyi County, Jinhua City, Zhejiang Province, China Importer:Nubuni,S.L. Importer Addr: CalleVilamari86-88,Barcelona, 08015,Spain Manufactured: January 2021 Fabric: 100%Polyester MADE IN CHINA
	SCHOOL BUS




Photo of Rectification Sample









TEST REPORT

CheckCode:774776
Report No.:C202603162474-1E

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule(w=0) stated in ILAC-G8:09/2019/CNAS-GL015:2022.

----------End of Report----------