TEST REPORT

CheckCode:028826
Report No.:C202603162474-2E

Company Name: Wuyi Luoke Leisure Product Co.,Ltd
Address: GuMaShan Industrial Area, Wuyi County, Jinhua City, Zhejiang Province, China

The following sample information is provided by the client and responsible for its authenticity

Sample Name: PLAY TENT
Model No.: RE9127R,RE9126Y
Manufacturer Name: Wuyi Luoke Leisure Product Co.,Ltd
Manufacturer Address: GuMaShan Industrial Area, Wuyi County, Jinhua City, Zhejiang Province, China

Age grading labeled: 3+ Appropriate Age Grading for Testing: 3+

Date of Receipt: Mar.17,2026 Apr.15,2026 Test Period: Mar.17,2026 – Apr.16,2026

Test Request: Select test(s) as requested by the client.

Test Result: Please refer to following page(s).

Conclusion: Please refer to following page(s).

Edited by Jiang Hang Fen Reviewed by Wu Qing Yu Approved by

扫一扫 验真伪

GRG METROLOGY&TEST GROUP CO.,LTD. APPROVED(02)

Issue date:Apr.16,2026

The result(s) shown in this report refer(s) only to the sample(s) tested. This report is considered invalid without approved signature, special seal for inspection and testing and the seal on the perforation.This report cannot be reproduced except in full, without prior written approval of the company.Any disagreements of the test report should be fed back to us within 15 workdays upon receiving the report. Scan the QR code on the first page of the test report, or log on to the official website http://www.grgtmall.com, enter the report number and check code to check the authenticity of the report. If you have any questions, please contact the email grgtest@grgtest.com. GRGT assumes no responsibility for information leakage caused by improper management of the QR code and the check code by customers.

TEST REPORT

CheckCode:028826
Report No.:C202603162474-2E

Conclusion:

Test Item(s)	Conclusion
2009/48/EC Toy Directive-EN 71-1: 2014 +A1:2018-Mechanical and physical properties	PASS
2009/48/EC Toy Directive-EN 71-2: 2020-Flammability	PASS
2009/48/EC Toy Directive-EN 71-3:2019+A2:2024-Migration of certain elements	PASS
2009/48/EC Toy Directive-CE marking	PASS
2009/48/EC Toy Directive-Labeling Requirement(Importer/ Manufacturer Mark, Product Identification, Washing/ Cleaning instruction)	See Results
BS EN 71-1: 2014 +A1:2018-Mechanical and physical properties	PASS
BS EN 71-2: 2020-Flammability	PASS
BS EN 71-3:2019+A2:2024-Migration of certain elements	PASS
The Toys (Safety) Regulations 2011 of UK, UKCA mark	PASS
The Toys (Safety) Regulations 2011 of UK, labelling requirements	See Results

Sample description:

Sample No.	Description
1	Yellow fabric (bag)
2	Black woven strap (handbag)
3	Black fabric (zipper fabric)
4	Black plastic (zipper teeth)
5	Yellow ribbon (zipper puller)
6	White label with black printing
7	Multicolor fabric (red)
8	Red fabric (banding)
9	Yellow fabric
10	Yellow fabric (banding)
11	Yellow lace
12	Red & gray fabric with white printing
13	Multicolor fabric
14	Black fabric (banding)
15	Black lace

Remark: 1) 1 mg/kg=1 ppm=0.0001%;
2) MDL = Method Detection Limit;
3) “N.D.” = Not Detected (Below Method Detection Limit) ;
4) “NA” = Not Applicable;
5) At the request of client, test(s) was conducted on the certain component(s) of the submitted samples(s) / submitted component(s).

Test Result(s):

2009/48/EC Toy Directive-EN 71-1: 2014 +A1:2018-Mechanical and physical properties

Clause	Description	Result
4	**General requirements**	
4.1	Material cleanliness	Pass
4.2	Assembly	NA
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	Pass
a)	Edges of metal or glass	Pass
b)	Overlap joints	NA
c)	Edges of metal including fastenings (e.g. screw heads) and of rigid polymeric material	Pass
d)	Hazardous sharp functional edges	NA
4.8	Points and metallic wires	Pass
a)	Points	Pass
b)	Hazardous sharp functional points	NA
c)	Metallic wires and other metallic components that are designed and intended to be bent	Pass
d)	Metallic wires that are not designed to be bent but are likely to occasionally or accidentally be bent during play	NA
e)	Splinters on surfaces and accessible edges of toys	NA
4.9	Protruding parts	NA
4.10	Parts moving against each other	

Clause	Description	Result
4.10.1	Folding and sliding mechanisms	NA
4.10.2	Driving mechanisms	NA
4.10.3	Hinges	NA
4.10.4	Springs	NA
4.11	Mouth-actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	
4.14.1	Toys which a child can enter	Pass
4.14.2	Masks and helmets	NA
4.15	Toys intended to bear the mass of a child	
4.15.1	Toys propelled by a child or by other means	NA
4.15.2	Toy bicycles	NA
4.15.3	Rocking horses and similar toys	NA
4.15.4	Toys not propelled by a child	NA
4.15.5	Toy scooters	NA
4.16	Heavy immobile toys	NA
4.17	Projectile toys	
4.17.1	General	NA
4.17.2	All projectiles	NA
4.17.3	Projectile toys with stored energy	NA
4.17.4	Certain projectile toys without stored energy	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	NA
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	
4.23.1	General	NA
4.23.2	Toys other than magnetic/electrical experimental sets intended for children over 8 years	NA
4.23.3	Magnetic/electrical experimental sets intended for children over 8 years	NA

Clause	Description	Result
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy Disguise Costumes	NA
4.27	Flying toys	
4.27.1	General	NA
4.27.2	Rotors and propellers on flying toys	NA
4.27.3	Rotors and propellers on remote controlled flying toys	NA
5	**Toys intended for children under 36 months**	
5.1	General requirements	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	
5.4.1	General	NA
5.4.2	Cords and chains in toys intended for children under 18 months	NA
5.4.3	Cords and chains in toys intended for children of 18 months or over but under 36 months	NA
5.4.4	Fixed loops, tangled loops and nooses	NA
5.4.5	Cords and chains on pull along toys	NA
5.4.6	Electrical cables	NA
5.4.7	Cross-sectional dimension of certain cords	NA
5.4.8	Self-retracting cords	NA
5.4.9	Toys attached to or intended to be strung across a cradle, cot or perambulator	
5.4.9.1	Toys intended to be strung across a cradle, cot or perambulator	NA
5.4.9.2	Toys otherwise intended to be attached to a cradle, cot or perambulator	NA
5.5	Liquid-filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA

Clause	Description	Result
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	**Packaging**	NA
7	**Warnings, markings and instructions for use**	
7.1	General	Pass
7.2	Toys not intended for children under 36 months	Pass
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys	
7.10.1	Roller skates, inline skates and skateboards	NA
7.10.2	Ride-on toys without a braking device	NA
7.10.3	Electrically-driven ride-on toys	NA
7.10.4	Instructions for use	NA
7.11	Toys intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA

Clause	Description	Result
7.25	Flying toys	
7.25.1	Flying toys	NA
7.25.2	Remote controlled flying toys	NA
7.26	Improvised projectiles	NA

2009/48/EC Toy Directive-EN 71-2: 2020-Flammability

Clause	Description	Result
4.1	General	Pass
	(The following materials shall not be used in the manufacture of toys except as provided in EN 71-2: 2020: Celluloid, materials with the same behaviour in fire as celluloid.)	
4.4	Toys intendede to be entered by a child	Pass

2009/48/EC Toy Directive-EN 71-3:2019+A2:2024-Migration of certain elements

Test Method: With reference to EN 71-3:2019+A2:2024, analysis was performed by ICP-MS. Chromium (VI) was analyzed by LC-ICP-MS.

For Category III - Scraped off toy material

Test Item	Sample				Unit	MDL	Limit
	1	2	3	4			
Sol. Aluminium(Al)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	28130
Sol. Antimony(Sb)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	560
Sol. Arsenic(As)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	47
Sol. Barium(Ba)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	18750
Sol. Boron(B)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	15000
Sol. Cadmium(Cd)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	17
Sol. Chromium(III) (Cr (III))	N.D.	N.D.	N.D.	N.D.	mg/kg	5.0	460
Sol. Chromium (VI) (Cr(VI))	N.D.	N.D.	N.D.	N.D.	mg/kg	0.030	0.053
Sol. Cobalt(Co)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	130

TEST REPORT

CheckCode:028826
Report No.:C202603162474-2E

Test Item	Sample				Unit	MDL	Limit
	1	2	3	4			
Sol. Copper(Cu)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	7700
Sol. Lead(Pb)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	23
Sol. Manganese(Mn)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	15000
Sol. Mercury(Hg)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	94
Sol. Nickel(Ni)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	930
Sol. Selenium(Se)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	460
Sol. Strontium(Sr)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	56000
Sol. Tin(Sn)	N.D.	N.D.	N.D.	N.D.	mg/kg	1.2	180000
Sol. Organic tin	N.D.	N.D.	N.D.	N.D.	mg/kg	---	12
Sol. Zinc(Zn)	60	N.D.	N.D.	N.D.	mg/kg	50	46000
Conclusion	Pass	Pass	Pass	Pass	---	---	---

Test Item	Sample				Unit	MDL	Limit
	5	6	7	8			
Sol. Aluminium(Al)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	28130
Sol. Antimony(Sb)	N.D.	N.D.	16	N.D.	mg/kg	10	560
Sol. Arsenic(As)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	47
Sol. Barium(Ba)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	18750
Sol. Boron(B)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	15000
Sol. Cadmium(Cd)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	17
Sol. Chromium(III) (Cr (III))	N.D.	N.D.	N.D.	N.D.	mg/kg	5.0	460
Sol. Chromium (VI) (Cr(VI))	N.D.	N.D.	N.D.	N.D.	mg/kg	0.030	0.053
Sol. Cobalt(Co)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	130
Sol. Copper(Cu)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	7700
Sol. Lead(Pb)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	23
Sol. Manganese(Mn)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	15000
Sol. Mercury(Hg)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	94
Sol. Nickel(Ni)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	930
Sol. Selenium(Se)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	460

TEST REPORT

CheckCode:028826
Report No.:C202603162474-2E

Test Item	Sample				Unit	MDL	Limit
	5	6	7	8			
Sol. Strontium(Sr)	N.D.	58	N.D.	N.D.	mg/kg	50	56000
Sol. Tin(Sn)	N.D.	N.D.	N.D.	N.D.	mg/kg	1.2	180000
Sol. Organic tin	N.D.	N.D.	N.D.	N.D.	mg/kg	---	12
Sol. Zinc(Zn)	N.D.	N.D.	N.D.	72	mg/kg	50	46000
Conclusion	Pass	Pass	Pass	Pass	---	---	---

Test Item	Sample				Unit	MDL	Limit
	9	10	11	12			
Sol. Aluminium(Al)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	28130
Sol. Antimony(Sb)	N.D.	N.D.	N.D.	23	mg/kg	10	560
Sol. Arsenic(As)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	47
Sol. Barium(Ba)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	18750
Sol. Boron(B)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	15000
Sol. Cadmium(Cd)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	17
Sol. Chromium(III) (Cr (III))	N.D.	N.D.	N.D.	N.D.	mg/kg	5.0	460
Sol. Chromium (VI) (Cr(VI))	N.D.	N.D.	N.D.	N.D.	mg/kg	0.030	0.053
Sol. Cobalt(Co)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	130
Sol. Copper(Cu)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	7700
Sol. Lead(Pb)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	23
Sol. Manganese(Mn)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	15000
Sol. Mercury(Hg)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	94
Sol. Nickel(Ni)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	930
Sol. Selenium(Se)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	460
Sol. Strontium(Sr)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	56000
Sol. Tin(Sn)	N.D.	N.D.	N.D.	N.D.	mg/kg	1.2	180000
Sol. Organic tin	N.D.	N.D.	N.D.	N.D.	mg/kg	---	12
Sol. Zinc(Zn)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	46000
Conclusion	Pass	Pass	Pass	Pass	---	---	---

TEST REPORT

CheckCode:028826
Report No.:C202603162474-2E

Test Item	Sample			Unit	MDL	Limit
	13	14	15			
Sol. Aluminium(Al)	N.D.	N.D.	N.D.	mg/kg	50	28130
Sol. Antimony(Sb)	19	N.D.	N.D.	mg/kg	10	560
Sol. Arsenic(As)	N.D.	N.D.	N.D.	mg/kg	10	47
Sol. Barium(Ba)	N.D.	N.D.	N.D.	mg/kg	50	18750
Sol. Boron(B)	N.D.	N.D.	N.D.	mg/kg	50	15000
Sol. Cadmium(Cd)	N.D.	N.D.	N.D.	mg/kg	10	17
Sol. Chromium(III) (Cr (III))	N.D.	N.D.	N.D.	mg/kg	5.0	460
Sol. Chromium (VI) (Cr(VI))	N.D.	N.D.	N.D.	mg/kg	0.030	0.053
Sol. Cobalt(Co)	N.D.	N.D.	N.D.	mg/kg	10	130
Sol. Copper(Cu)	N.D.	N.D.	N.D.	mg/kg	50	7700
Sol. Lead(Pb)	N.D.	N.D.	N.D.	mg/kg	10	23
Sol. Manganese(Mn)	N.D.	N.D.	N.D.	mg/kg	50	15000
Sol. Mercury(Hg)	N.D.	N.D.	N.D.	mg/kg	10	94
Sol. Nickel(Ni)	N.D.	N.D.	N.D.	mg/kg	10	930
Sol. Selenium(Se)	N.D.	N.D.	N.D.	mg/kg	10	460
Sol. Strontium(Sr)	N.D.	N.D.	N.D.	mg/kg	50	56000
Sol. Tin(Sn)	N.D.	N.D.	N.D.	mg/kg	1.2	180000
Sol. Organic tin	N.D.	N.D.	N.D.	mg/kg	---	12
Sol. Zinc(Zn)	N.D.	N.D.	N.D.	mg/kg	50	46000
Conclusion	Pass	Pass	Pass	---	---	---

Remark: 1) SOL.= Soluble
2) Soluble Chromium (III)= Soluble Total Chromium- Soluble Chromium (VI)
3) Confirmation test of soluble organic tin is not required in case of soluble tin, after conversion, does not exceed the soluble organic tin requirement as specified in EN 71-3:2019+A2:2024.

2009/48/EC Toy Directive-CE marking

Description	Result
CE marking	Pass

2009/48/EC Toy Directive-Labeling Requirement(Importer/ Manufacturer Mark, Product Identification, Washing/ Cleaning instruction)

Description	Result
Importer/Manufacturer Mark (European Company name and address)+	Present (Package)
Product Identification - type, batch, serial or model number+	Present (Package)
Washing/ Cleaning instruction^	NA

Remark: 1) +These labelling shall be indicated on the toy, or where that is not possible, on its packaging or in documents accompanying the toys.
The correct adherence to all requirements according to directive 2009/48/EC in regards to the marking(name or trademark and contact address of the manufacturer respectively the marking for identification[type, batch, model or serial no.])of the toy can only be confirmed by the manufacturer, his delegate or the person who brings it onto the market. The marked article were assessed, however, they can not be evaluated in the frame of this test.
2) ^According to Directive 2009/48/EC, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy shall, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The toy shall fulfill the safety requirements also after having been cleaned in accordance with this point and the manufacturer's instructions.

BS EN 71-1: 2014 +A1:2018-Mechanical and physical properties

Clause	Description	Result
4	**General requirements**	
4.1	Material cleanliness	Pass
4.2	Assembly	NA

Clause	Description	Result
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	Pass
a)	Edges of metal or glass	Pass
b)	Overlap joints	NA
c)	Edges of metal including fastenings (e.g. screw heads) and of rigid polymeric material	Pass
d)	Hazardous sharp functional edges	NA
4.8	Points and metallic wires	Pass
a)	Points	Pass
b)	Hazardous sharp functional points	NA
c)	Metallic wires and other metallic components that are designed and intended to be bent	Pass
d)	Metallic wires that are not designed to be bent but are likely to occasionally or accidentally be bent during play	NA
e)	Splinters on surfaces and accessible edges of toys	NA
4.9	Protruding parts	NA
4.10	Parts moving against each other	
4.10.1	Folding and sliding mechanisms	NA
4.10.2	Driving mechanisms	NA
4.10.3	Hinges	NA
4.10.4	Springs	NA
4.11	Mouth-actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	
4.14.1	Toys which a child can enter	Pass
4.14.2	Masks and helmets	NA
4.15	Toys intended to bear the mass of a child	
4.15.1	Toys propelled by a child or by other means	NA
4.15.2	Toy bicycles	NA

Clause	Description	Result
4.15.3	Rocking horses and similar toys	NA
4.15.4	Toys not propelled by a child	NA
4.15.5	Toy scooters	NA
4.16	Heavy immobile toys	NA
4.17	Projectile toys	
4.17.1	General	NA
4.17.2	All projectiles	NA
4.17.3	Projectile toys with stored energy	NA
4.17.4	Certain projectile toys without stored energy	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	NA
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	
4.23.1	General	NA
4.23.2	Toys other than magnetic/electrical experimental sets intended for children over 8 years	NA
4.23.3	Magnetic/electrical experimental sets intended for children over 8 years	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy Disguise Costumes	NA
4.27	Flying toys	
4.27.1	General	NA
4.27.2	Rotors and propellers on flying toys	NA
4.27.3	Rotors and propellers on remote controlled flying toys	NA
5	**Toys intended for children under 36 months**	
5.1	General requirements	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	
5.4.1	General	NA

Clause	Description	Result
5.4.2	Cords and chains in toys intended for children under 18 months	NA
5.4.3	Cords and chains in toys intended for children of 18 months or over but under 36 months	NA
5.4.4	Fixed loops, tangled loops and nooses	NA
5.4.5	Cords and chains on pull along toys	NA
5.4.6	Electrical cables	NA
5.4.7	Cross-sectional dimension of certain cords	NA
5.4.8	Self-retracting cords	NA
5.4.9	Toys attached to or intended to be strung across a cradle, cot or perambulator	
5.4.9.1	Toys intended to be strung across a cradle, cot or perambulator	NA
5.4.9.2	Toys otherwise intended to be attached to a cradle, cot or perambulator	NA
5.5	Liquid-filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	**Packaging**	NA
7	**Warnings, markings and instructions for use**	
7.1	General	Pass
7.2	Toys not intended for children under 36 months	Pass
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA

Clause	Description	Result
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys	
7.10.1	Roller skates, inline skates and skateboards	NA
7.10.2	Ride-on toys without a braking device	NA
7.10.3	Electrically-driven ride-on toys	NA
7.10.4	Instructions for use	NA
7.11	Toys intended to be strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	
7.25.1	Flying toys	NA
7.25.2	Remote controlled flying toys	NA
7.26	Improvised projectiles	NA

BS EN 71-2: 2020-Flammability

Clause	Description	Result
4.1	General	Pass
	(The following materials shall not be used in the manufacture of toys except as provided in BS EN 71-2: 2020: Celluloid, materials with the same behaviour in fire as celluloid.)	
4.4	Toys intendede to be entered by a child	Pass

BS EN 71-3:2019+A2:2024-Migration of certain elements

Test Method: With reference to BS EN 71-3:2019+A2:2024, analysis was performed by ICP-MS. Chromium (VI) was analyzed by LC-ICP-MS.

For Category III - Scraped off toy material

Test Item	Sample				Unit	MDL	Limit
	1	2	3	4			
Sol. Aluminium(Al)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	28130
Sol. Antimony(Sb)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	560
Sol. Arsenic(As)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	47
Sol. Barium(Ba)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	18750
Sol. Boron(B)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	15000
Sol. Cadmium(Cd)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	17
Sol. Chromium(III) (Cr (III))	N.D.	N.D.	N.D.	N.D.	mg/kg	5.0	460
Sol. Chromium (VI) (Cr(VI))	N.D.	N.D.	N.D.	N.D.	mg/kg	0.030	0.053
Sol. Cobalt(Co)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	130
Sol. Copper(Cu)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	7700
Sol. Lead(Pb)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	23
Sol. Manganese(Mn)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	15000
Sol. Mercury(Hg)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	94
Sol. Nickel(Ni)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	930
Sol. Selenium(Se)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	460
Sol. Strontium(Sr)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	56000
Sol. Tin(Sn)	N.D.	N.D.	N.D.	N.D.	mg/kg	1.2	180000
Sol. Organic tin	N.D.	N.D.	N.D.	N.D.	mg/kg	---	12
Sol. Zinc(Zn)	60	N.D.	N.D.	N.D.	mg/kg	50	46000
Conclusion	Pass	Pass	Pass	Pass	---	---	---

TEST REPORT

CheckCode:028826
Report No.:C202603162474-2E

Test Item	Sample				Unit	MDL	Limit
	5	6	7	8			
Sol. Aluminium(Al)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	28130
Sol. Antimony(Sb)	N.D.	N.D.	16	N.D.	mg/kg	10	560
Sol. Arsenic(As)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	47
Sol. Barium(Ba)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	18750
Sol. Boron(B)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	15000
Sol. Cadmium(Cd)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	17
Sol. Chromium(III) (Cr (III))	N.D.	N.D.	N.D.	N.D.	mg/kg	5.0	460
Sol. Chromium (VI) (Cr(VI))	N.D.	N.D.	N.D.	N.D.	mg/kg	0.030	0.053
Sol. Cobalt(Co)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	130
Sol. Copper(Cu)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	7700
Sol. Lead(Pb)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	23
Sol. Manganese(Mn)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	15000
Sol. Mercury(Hg)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	94
Sol. Nickel(Ni)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	930
Sol. Selenium(Se)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	460
Sol. Strontium(Sr)	N.D.	58	N.D.	N.D.	mg/kg	50	56000
Sol. Tin(Sn)	N.D.	N.D.	N.D.	N.D.	mg/kg	1.2	180000
Sol. Organic tin	N.D.	N.D.	N.D.	N.D.	mg/kg	---	12
Sol. Zinc(Zn)	N.D.	N.D.	N.D.	72	mg/kg	50	46000
Conclusion	Pass	Pass	Pass	Pass	---	---	---

Test Item	Sample				Unit	MDL	Limit
	9	10	11	12			
Sol. Aluminium(Al)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	28130
Sol. Antimony(Sb)	N.D.	N.D.	N.D.	23	mg/kg	10	560
Sol. Arsenic(As)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	47
Sol. Barium(Ba)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	18750
Sol. Boron(B)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	15000

TEST REPORT

CheckCode:028826
Report No.:C202603162474-2E

Test Item	Sample				Unit	MDL	Limit
	9	10	11	12			
Sol. Cadmium(Cd)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	17
Sol. Chromium(III) (Cr (III))	N.D.	N.D.	N.D.	N.D.	mg/kg	5.0	460
Sol. Chromium (VI) (Cr(VI))	N.D.	N.D.	N.D.	N.D.	mg/kg	0.030	0.053
Sol. Cobalt(Co)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	130
Sol. Copper(Cu)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	7700
Sol. Lead(Pb)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	23
Sol. Manganese(Mn)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	15000
Sol. Mercury(Hg)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	94
Sol. Nickel(Ni)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	930
Sol. Selenium(Se)	N.D.	N.D.	N.D.	N.D.	mg/kg	10	460
Sol. Strontium(Sr)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	56000
Sol. Tin(Sn)	N.D.	N.D.	N.D.	N.D.	mg/kg	1.2	180000
Sol. Organic tin	N.D.	N.D.	N.D.	N.D.	mg/kg	---	12
Sol. Zinc(Zn)	N.D.	N.D.	N.D.	N.D.	mg/kg	50	46000
Conclusion	Pass	Pass	Pass	Pass	---	---	---

Test Item	Sample			Unit	MDL	Limit
	13	14	15			
Sol. Aluminium(Al)	N.D.	N.D.	N.D.	mg/kg	50	28130
Sol. Antimony(Sb)	19	N.D.	N.D.	mg/kg	10	560
Sol. Arsenic(As)	N.D.	N.D.	N.D.	mg/kg	10	47
Sol. Barium(Ba)	N.D.	N.D.	N.D.	mg/kg	50	18750
Sol. Boron(B)	N.D.	N.D.	N.D.	mg/kg	50	15000
Sol. Cadmium(Cd)	N.D.	N.D.	N.D.	mg/kg	10	17
Sol. Chromium(III) (Cr (III))	N.D.	N.D.	N.D.	mg/kg	5.0	460
Sol. Chromium (VI) (Cr(VI))	N.D.	N.D.	N.D.	mg/kg	0.030	0.053
Sol. Cobalt(Co)	N.D.	N.D.	N.D.	mg/kg	10	130
Sol. Copper(Cu)	N.D.	N.D.	N.D.	mg/kg	50	7700
Sol. Lead(Pb)	N.D.	N.D.	N.D.	mg/kg	10	23

Test Item	Sample			Unit	MDL	Limit
	13	14	15			
Sol. Manganese(Mn)	N.D.	N.D.	N.D.	mg/kg	50	15000
Sol. Mercury(Hg)	N.D.	N.D.	N.D.	mg/kg	10	94
Sol. Nickel(Ni)	N.D.	N.D.	N.D.	mg/kg	10	930
Sol. Selenium(Se)	N.D.	N.D.	N.D.	mg/kg	10	460
Sol. Strontium(Sr)	N.D.	N.D.	N.D.	mg/kg	50	56000
Sol. Tin(Sn)	N.D.	N.D.	N.D.	mg/kg	1.2	180000
Sol. Organic tin	N.D.	N.D.	N.D.	mg/kg	---	12
Sol. Zinc(Zn)	N.D.	N.D.	N.D.	mg/kg	50	46000
Conclusion	Pass	Pass	Pass	---	---	---

Remark: 1) SOL.= Soluble
2) Soluble Chromium (III)= Soluble Total Chromium- Soluble Chromium (VI)
3) Confirmation test of soluble organic tin is not required in case of soluble tin, after conversion, does not exceed the soluble organic tin requirement as specified in BS EN 71-3:2019+A2:2024.

The Toys (Safety) Regulations 2011 of UK, UKCA mark

Description	Result
UKCA-marking	Pass

Remark: The assessment was made in accordance to the "Guidance - Using the UKCA mark from 1 January 2021" as published on 1 September, 2020.


The Toys (Safety) Regulations 2011 of UK, labelling requirements

Description	Result
UK Importer Name and Address	Present (Package)

Remark: According to Toys (Safety) Regulations 2011: Guidance (GB) published by Department for Business, Energy and Industrial Strategy in November 2020, starting from 1 January 2021, importers have legal obligations checking that manufacturers have included their (the importer's) name, registered trade name or mark and a postal address on the toy or on its packaging or in accompanying documentation.
To assist with the transition, the UK is applying a transitional period ending on 31 December 2027 to allow that the details being shown on the accompanying documentation or packaging as an alternative to placing them on the toy.

Photo of Sample









FIRE	
FIRE RESCUE	WARNING KEEP AWAY FROM FIRE 0-3 Manufacturer : Wuyi Luoke Leisure Product Co., LTD. Manufacturer Addr : No.1, GuMaShan Industrial Area, Wuyi County, Jinhua City, Zhejiang Province, China Importer:Nubuni,S.L. Importer Addr: CalleVilamari86-88,Barcelona, 08015,Spain Manufactured: January 2021 Fabric: 100%Polyester MADE IN CHINA
	SCHOOL BUS




Photo of Rectification Sample









TEST REPORT

CheckCode:028826
Report No.:C202603162474-2E

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule(w=0) stated in ILAC-G8:09/2019/CNAS-GL015:2022.

----------End of Report----------